



ISO

NAUE GmbH


Sondermaschinen - und Filterbau

Am Rotböhl 5
64331 Weiterstadt
www.naue.de

Tel. 0 61 50 / 97 38 - 0
Fax. 0 61 50 / 70 18
Info@naue.de

exzentrische Reduzierung Orbitalschweißenden


Material 1.4404
Andere Werkstoffe und Abmessungen auf Anfrage



DN	D1	s1	D2	s2	L1	L2	Artikel-Nr.
15/10	21,3	1,6	13,5	1,6	60	25	
20/15	26,9	1,6	21,3	1,6	60	25	
20/10	26,9	1,6	13,5	1,6	60	25	
25/20	33,7	2,0	26,9	1,6	70	30	
25/15	33,7	2,0	21,3	1,6	70	30	
32/25	42,4	2,0	33,7	2,0	90	30	
32/20	42,4	2,0	26,9	1,6	90	30	
40/32	48,3	2,0	42,4	2,0	90	30	
40/25	48,3	2,0	33,7	2,0	90	30	
40/20	48,3	2,0	26,9	1,6	90	30	
50/40	60,3	2,0	48,3	2,0	90	30	
50/32	60,3	2,0	42,4	2,0	90	30	
50/25	60,3	2,0	33,7	2,0	90	30	
65/50	76,1	2,0	60,3	2,0	100	40	
65/40	76,1	2,0	48,3	2,0	100	40	
80/65	88,9	2,3	76,1	2,0	100	40	
80/50	88,9	2,3	60,3	2,0	100	40	
100/80	114,3	2,3	88,9	2,3	110	40	
100/65	114,3	2,3	76,1	2,0	110	40	

Änderungen vorbehalten

konzentrische Reduzierung Orbitalschweißenden



DN	D1	s1	D2	s2	L1	L2	Artikel-Nr.
15/10	21,3	1,6	13,5	1,6	60	25	
20/15	26,9	1,6	21,3	1,6	60	25	
20/10	26,9	1,6	13,5	1,6	60	25	
25/20	33,7	2,0	26,9	1,6	70	30	
25/15	33,7	2,0	21,3	1,6	70	30	
32/25	42,4	2,0	33,7	2,0	90	30	
32/20	42,4	2,0	26,9	1,6	90	30	
40/32	48,3	2,0	42,4	2,0	90	30	
40/25	48,3	2,0	33,7	2,0	90	30	
40/20	48,3	2,0	26,9	1,6	90	30	
50/40	60,3	2,0	48,3	2,0	90	30	
50/32	60,3	2,0	42,4	2,0	90	30	
50/25	60,3	2,0	33,7	2,0	90	30	
65/50	76,1	2,0	60,3	2,0	100	40	
65/40	76,1	2,0	48,3	2,0	100	40	
80/65	88,9	2,3	76,1	2,0	100	40	
80/50	88,9	2,3	60,3	2,0	100	40	
100/80	114,3	2,3	88,9	2,3	110	40	
100/65	114,3	2,3	76,1	2,0	110	40	

Änderungen vorbehalten



DIN
Baur.2

NAUE GmbH

Sondermaschinen - und Filterbau


Am Rotböll 5
64331 Weiterstadt
www.naue.de

Tel. 0 61 50 / 97 38 - 0
Fax. 0 61 50 / 70 18
Info@naue.de

exzentrische Reduzierung Orbitalschweißenden

Material 1.4404


Andere Werkstoffe und Abmessungen auf Anfrage



DN	D1	s1	D2	s2	L1	L2	Artikel-Nr.
15/10	19,0	1,5	12,0	1,5	60	25	
20/15	23,0	1,5	19,0	1,5	60	25	
20/10	23,0	1,5	12,0	1,5	60	25	
25/20	29,0	1,5	23,0	1,5	75	32	
25/15	29,0	1,5	19,0	1,5	75	32	
32/25	35,0	1,5	29,0	1,5	90	40	
32/20	35,0	1,5	23,0	1,5	90	40	
40/32	41,0	1,5	35,0	1,5	90	40	
40/25	41,0	1,5	29,0	1,5	90	40	
40/20	41,0	1,5	23,0	1,5	95	40	
50/40	53,0	1,5	41,0	1,5	95	40	
50/32	53,0	1,5	35,0	1,5	95	40	
50/25	53,0	1,5	29,0	1,5	95	40	
65/50	70,0	2,0	53,0	1,5	95	40	
65/40	70,0	2,0	41,0	1,5	95	40	
80/65	85,0	2,0	70,0	2,0	125	55	
80/50	85,0	2,0	53,0	1,5	125	55	
100/80	104,0	2,0	85,0	2,0	125	55	
100/65	104,0	2,0	70,0	2,0	125	55	

Änderungen vorbehalten

konzentrische Reduzierung Orbitalschweißenden



DN	D1	s1	D2	s2	L1	L2	Artikel-Nr.
15/10	19,0	1,5	12,0	1,5	60	25	
20/15	23,0	1,5	19,0	1,5	60	25	
20/10	23,0	1,5	12,0	1,5	60	25	
25/20	29,0	1,5	23,0	1,5	75	32	
25/15	29,0	1,5	19,0	1,5	75	32	
32/25	35,0	1,5	29,0	1,5	90	40	
32/20	35,0	1,5	23,0	1,5	90	40	
40/32	41,0	1,5	35,0	1,5	90	40	
40/25	41,0	1,5	29,0	1,5	90	40	
40/20	41,0	1,5	23,0	1,5	95	40	
50/40	53,0	1,5	41,0	1,5	95	40	
50/32	53,0	1,5	35,0	1,5	95	40	
50/25	53,0	1,5	29,0	1,5	95	40	
65/50	70,0	2,0	53,0	1,5	95	40	
65/40	70,0	2,0	41,0	1,5	95	40	
80/65	85,0	2,0	70,0	2,0	125	55	
80/50	85,0	2,0	53,0	1,5	125	55	
100/80	104,0	2,0	85,0	2,0	125	55	
100/65	104,0	2,0	70,0	2,0	125	55	

Änderungen vorbehalten



NAUE GmbH

DIN

Sondermaschinen - und Filterbau


Am Rotböll 5
64331 Weiterstadt
www.naue.de

Tel. 0 61 50 / 97 38 - 0
Fax. 0 61 50 / 70 18
Info@naue.de

exzentrische Reduzierung Orbitalschweißenden

Material 1.4404


Andere Werkstoffe und Abmessungen auf Anfrage



DN	D1	s1	D2	s2	L1	L2	Artikel-Nr.
15/10	18,0	1,5	12,0	1,0	60	25	
20/15	22,0	1,5	18,0	1,5	60	25	
20/10	22,0	1,5	12,0	1,5	60	25	
25/20	28,0	1,5	22,0	1,5	75	32	
25/15	28,0	1,5	18,0	1,5	75	32	
32/25	34,0	1,5	28,0	1,5	90	40	
32/20	34,0	1,5	22,0	1,5	90	40	
40/32	40,0	1,5	34,0	1,5	90	40	
40/25	40,0	1,5	28,0	1,5	90	40	
40/20	40,0	1,5	22,0	1,5	90	40	
50/40	52,0	1,5	40,0	1,5	95	40	
50/32	52,0	1,5	34,0	1,5	95	40	
50/25	52,0	1,5	28,0	1,5	95	40	
65/50	70,0	2,0	52,0	1,5	95	40	
65/40	70,0	2,0	40,0	1,5	95	40	
80/65	85,0	2,0	70,0	2,0	125	55	
80/50	85,0	2,0	52,0	1,5	125	55	
100/80	104,0	2,0	85,0	2,0	125	55	
100/65	104,0	2,0	70,0	2,0	125	55	

Änderungen vorbehalten

konzentrische Reduzierung Orbitalschweißenden



DN	D1	s1	D2	s2	L1	L2	Artikel-Nr.
15/10	18,0	1,5	12,0	1,0	60	25	
20/15	22,0	1,5	18,0	1,5	60	25	
20/10	22,0	1,5	12,0	1,5	60	25	
25/20	28,0	1,5	22,0	1,5	75	32	
25/15	28,0	1,5	18,0	1,5	75	32	
32/25	34,0	1,5	28,0	1,5	90	40	
32/20	34,0	1,5	22,0	1,5	90	40	
40/32	40,0	1,5	34,0	1,5	90	40	
40/25	40,0	1,5	28,0	1,5	90	40	
40/20	40,0	1,5	22,0	1,5	90	40	
50/40	52,0	1,5	40,0	1,5	95	40	
50/32	52,0	1,5	34,0	1,5	95	40	
50/25	52,0	1,5	28,0	1,5	95	40	
65/50	70,0	2,0	52,0	1,5	95	40	
65/40	70,0	2,0	40,0	1,5	95	40	
80/65	85,0	2,0	70,0	2,0	125	55	
80/50	85,0	2,0	52,0	1,5	125	55	
100/80	104,0	2,0	85,0	2,0	125	55	
100/65	104,0	2,0	70,0	2,0	125	55	

Änderungen vorbehalten